

NOV. 22. 2005 2:36PM

Rev. 10/93

RECEIVED
CENTRAL FAX CENTER

NO. 5313 P. 9/9

NOV 22 2005

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF:

REIYAO ZHU ET. AL.

CASE NO.: HT4010USNA

SERIAL NO.: 10/803,383

GROUP ART UNIT: 1771

FILED: MARCH 18, 2004

EXAMINER: SHAUN R. HURLEY

FOR: **MODACRYLIC/ARAMID FIBER BLENDS FOR ARC AND FLAME
PROTECTION**

REQUEST FOR CORRECTION OF ADDRESS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

An error in correspondence address is present made by the USPTO.


The correct address for the above-identified patent application; namely:

E. I. du Pont de Nemours and Company
4417 Lancaster Pike
Legal - Building 25
Wilmington, Delaware 19805
(Customer No. 23906)

The incorrect address presently employed by the USPTO is:

SLATER & MATSIL LLP
17950 PRESTON ROAD
SUITE 1000
DALLAS, TX 75252
(Customer No. 48154)

Respectfully submitted,


ANDREW G. GOLIAN
ATTORNEY FOR APPLICANTS
Registration No.: 25,293
Telephone: (302) 892-0747
Facsimile: (302) 892-7343

Dated: November 22, 2005